Author Index of Volume 159

Adeyemo, A. O., 99
Agarwala, U. C., 197
Albon, J. M., 19
Alonzo, G., 141
Anastassopoulou, J., 237
Arar, L., 219
Arkowska, A., 153
Arpalahti, J., 115
Aslan, H., 55

Barigelletti, F., 169
Basato, M., 59
Beisheng Kang, 1
Beltran-Porter, A., 11
Beltran-Porter, D., 11
Benedetti, A., 173
Bertazzi, N., 141
Bisi Castellani, C., 157
Brewer, K. J., 93
Bruni, S., 173
Buchanan, R. M., 219
Buono-Core, G. E., 133
Burmeister, J. L., 65

Canich, J. A. M., 163
Cariati, F., 173
Carugo, O., 157
Caulton, K. G., 23
Clark, R. J., 137
Colacio, E., 103
Consiglio, M., 141
Corain, B., 59
Corbin, K. M., 129
Cotton, F. A., 163

De Cola, L., 169
Doman, T. N., 219

Edwards, D. A., 19
Eggers, S. H., 55
Eilmes, J., 59

Favero, G., 59
Fischer, R. D., 55
Folgado, J. V., 11
Fuertes, A., 11
Fultz, W. C., 65

Ganguli, P. K., 237
Giddings, S., 7
Głowiak, T., 111
Grażyńska, E., 153
Grimm, C. C., 137
Guowei Wei, 1

Hanaki, A., 225
Hanqin Liu, 1
Hodgson, D. J., 129
Holler, E., 121

Jenkins, H. A., 83
Joesten, M. D., 143

Kapur, N., 87
Kiss, T., 111
Kitamura, Y., 181
Kivekäs, R., 103
Kozłowski, H., 111
Krasney, E. L., 143
Kubiak, M., 111
Kubiak, R., 153
Kudo, T., 185
Kuroda, K., 181
Kushida, K., 149

Lehikoinen, P., 115
León, P., 103
Leon R., G., 133
Loeb, S. J., 83
López-González, J. D., 103
Lundquist, E. G., 23
Lynn, M. H., 129

Malhotra, R., 87
Manfredini, T., 173
Maochun Hong, 1
Marcos, D., 11
Martell, A. E., 29
Martinez-Mañez, R., 11
Masciocchi, N., 173
Massoud, S. S., 243
Matsubayashi, G.-E., 49
Matsumoto, K., 185
McManus, N. T., 83
McMurray, N., 7
Menabue, L., 173
Michelsen, K., 129
Mikuriya, M., 149
Mills, A., 7
Minn, D. J., 65
Moore, P. J., 19
Moret, M., 173
Motekaitis, R. J., 29
Müller, F., 121
Murphy, W. R., Jr., 93

Nagy, L., 201
Narula, S. P., 87
Nassimbeni, L. R., 209
Neidert, J. B., 143
Nielsen, K. M., 129
Niven, M. L., 209
Nojo, T., 49
Nomura, M., 201

Ohtaki, H., 201
Okawa, H., 149
Okamoto, H., 185
Oshio, H., 149
Ozawa, T., 225
Ozawa, Y., 185

Pandey, D. S., 197
Pastor, S. D., 3
Paulus, H., 153
Paviglianiti, A. J., 65
Pedersen, E., 129
Petersen, J. D., 93
Pozzi, A., 173

Randomska, B., 111
Rana, C. R., 87
Richardson, J. F., 219
Rosanske, R., 137
Ruiz, J., 103

Sasaki, Y., 185
Sigel, H., 243
Silver, J., 231
Sironi, A., 173
Streib, W. E., 23
Strydom, C. A., 191
Strydom, H. J., 191
Suckling, A. P., 209
Sun, Y., 29

Taies, J. A., 231
Takai, T., 225
Takamoto, T., 181
Tanaka, T., 49

© Elsevier Sequoia/Printed in Switzerland

Theophanides, T., 237
Togni, A., 3

Valle, G., 59

Wharf, I., 41
Williams, G., 7

Xinjian Lei, 1

Yamaguchi, T., 201

Zhiying Huang, 1

Subject Index of Volume 159

Amine complexes
competition of various *cis*-Pt(II) diamines for N1 and N7 sites of adenosine and 9-(β-D-ribofuranosyl)purine, 115
coordinative capabilities of substituted propane-1,3-diamine; Zn(II) halide adducts of 2,2-dimethylpropane-1,3-diamine, 173
correlation between geometric changes of ligands and extinction coefficient of MLCT absorption band in Ru(II)–diimine complexes, 169
dihalobis(2,4-dimethyl-6-hydroxypyrimidine)-Pt(II) and Pd(II) complexes; NMR study, 99
effect of *cis*-Pt on nucleotide metabolism, 121
novel trinuclear mixed-metal complexes containing heteronuclear ions $[M^{II}\{(OH)CrA_4(OH)\}_2(H_2O)_4]^{4+}$ and $[M^{II}\{(OH)CoA_4(OH)\}_2(H_2O)_4]^{4+}$ (A = amine ligand), 129
preparation, electronic properties and crystal structure of imidazolebis(1,10-phenanthroline)-Cu(II) bis(hexafluorophosphate), 149
volume profile for aquation of $Co(en)_2Cl_2^+$, $Co(trien)Cl_2^+$ and $Co(edda)Cl_2^-$, 181
Werner clathrates; secondary bonding to halogenated guest molecules, 209
Amino acid complexes
synthesis, crystal structure and properties of (1,3-(bis(*N*-methylimidazolimine)propan-2-ol)-Cu(II))·perchlorate, 219
X-ray evidence for lysyl lateral amine group coordination in (L-lysyl-L-tyrosine)Cu(II)·$2H_2O$ complex, 111
Antitumor activity
chlorogold(I) and Au(III) complexes of 6-amino-1,3-dimethyl-5-arylazouracil derivatives; IR spectroscopy, growth inhibition of HeLa cells and X-ray crystal structure of 6-amino-1,3-dimethyl-5-phenylazoniumuracil dichloroaurate(I) sesquihydrate, 103
metal complexes of alkylating agents, melphalan and chlorambucil, 143
Aryl complexes
^{119}Sn and ^{13}C NMR spectra of some tetra- and triaryltin compounds, 41

Bidentate ligand complexes
benzophenone sensitized photochemistry of Cu(II) and Ni(II) complexes with 4-acylpyrazolones, 133
conjunctive response to steric hindrance in dithiocyanato[bis(diphenylphosphino)alkyl or aryl]-Pd(II) complexes; new look at classic series, 65
coordinative capabilities of substituted propane-1,3-diamine; Zn(II) halide adducts of 2,2-dimethylpropane-1,3-diamine, 173
correlation between geometric changes of ligands and extinction coefficient of MLCT absorption band in Ru(II)–diimine complexes, 169
intramolecular hydrophobic and stacking interactions in mixed ligand complexes containing Cu(II), 2,2′-bipyridyl or 1,10-phenanthroline, and simple phosphate monoester, D-ribose 5′-monophosphate or nucleoside 5′-monophosphate (CMP, UMP, TMP, TuMP) with non-coordinating base residue, 243
novel diiron complex; bimetallic system with both high- and low-spin Fe(II) centers, 93
preparation, electronic properties and crystal structure of imidazolebis(1,10-phenanthroline)-Cu(II) bis(hexafluorophosphate), 149
sterically congested ligands; synthesis and spectral characterization of first Pd(II) and Pt(II) complexes of tetra-t-butyl-substituted biaryloxybis(1,3,2-oxazaphospholidines), 3
Bimetallic complexes
$(CO)(PEt_3)ClIr(\mu\text{-}PCy_2)_2IrCl(PEt_3)(CO)$, phosphido-bridged bimetallic Ir(II) complex, 83
novel diiron complex; bimetallic system with both high- and low-spin Fe(II) centers, 93
Bismuth complexes
Bi(III) thiocyanate adducts with tridentate N donors, 141

Carbene complexes
Keggin-type dodecatungstocarbonate anion containing carbene as hetero atom, 185
Carbonyl complexes
$(CO)(PEt_3)ClIr(\mu\text{-}PCy_2)_2IrCl(PEt_3)(CO)$, phosphido-bridged bimetallic Ir(II) complex, 83
^{19}F and ^{99}Tc NMR spectrum of ax-$Tc_2(CO)_9(PF_3)$, 137
metal carbonyl complexes involving 2,6-bis[1-(phenylimino)ethyl]pyridine; bidentate coordination of potentially tridentate ligand, 19
Carboxylic acid complexes
studies on fluorescent lanthanide complexes; new complexes of lanthanides(III) with coumarinic-3-carboxylic acid, 157
Catalysis
charging of redox catalyst for O_2 evolution, 7
Cerium complexes
charging of redox catalyst for O_2 evolution, 7
Chelate complexes
benzophenone sensitized photochemistry of Cu(II)

© Elsevier Sequoia/Printed in Switzerland

and Ni(II) complexes with 4-acylpyrazolones, 133
N,N'-bispyridoxylethylenediamine-*N,N'*-diacetic acid (PLED) and *N,N'*-bis(2-hydroxy-5-sulfobenzylethylenediamine-*N,N'*-diacetic acid (SHBED), 29
conjunctive response to steric hindrance in dithiocyanato[bis(diphenylphosphino)alkyl or aryl]-Pd(II) complexes; new look at classic series, 65
crystal structure and spectroscopic studies of bis-(*N*-2-pyridinylcarbonyl-2-pyridinecarboximidato)Cu(II) monohydrate; local bonding effects, 11
template synthesis and molecular structure of Ni(II) perchlorate–chloride complex with tris(((aminoisopropyl)amino)methyl)amine, 153
Chromium complexes
novel trinuclear mixed-metal complexes containing heteronuclear ions $[M^{II}\{(OH)CrA_4(OH)\}_2(H_2O)_4]^{4+}$ and $[M^{II}\{(OH)CoA_4(OH)\}_2(H_2O)_4]^{4+}$ (A = amine ligand), 129
Clathrate complexes
Werner clathrates; secondary bonding to halogenated guest molecules, 209
Cluster complexes
Keggin-type dodecatungstocarbonate anion containing carbene as hetero atom, 185
new Co–S cluster with triphenylphosphine; preparation and structure of $Co_6S_8(PPh_3)_6$, 1
Cobalt complexes
new Co–S cluster with triphenylphosphine; preparation and structure of $Co_6S_8(PPh_3)_6$, 1
novel trinuclear mixed-metal complexes containing heteronuclear ions $[M^{II}\{(OH)CrA_4(OH)\}_2(H_2O)_4]^{4+}$ and $[M^{II}\{(OH)CoA_4(OH)\}_2(H_2O)_4]^{4+}$ (A = amine ligand), 129
volume profile for aquation of $Co(en)_2Cl_2^+$, $Co(trien)Cl_2^+$ and $Co(edda)Cl_2^-$, 181
X-ray photoelectron spectroscopy studies of some Co(II) nitrate complexes, 191
Copper complexes
benzophenone sensitized photochemistry of Cu(II) and Ni(II) complexes with 4-acylpyrazolones, 133
crystal structure and spectroscopic studies of bis-(*N*-2-pyridinylcarbonyl-2-pyridinecarboximato)Cu(II) monohydrate; local bonding effects, 11
intramolecular hydrophobic and stacking interactions in mixed ligand complexes containing Cu(II), 2,2'-bipyridyl or 1,10-phenanthroline, and simple phosphate monoester, D-ribose 5'-monophosphate or nucleoside 5'-monophosphate (CMP, UMP, TMP, TuMP) with non-coordinating base residue, 243
preparation, electronic properties and crystal structure of imidazolebis(1,10-phenanthroline)-Cu(II) bis(hexafluorophosphate), 149
synthesis, crystal structure and properties of (1,3-(bis(*N*-methylimidazolimine)propan-2-ol)-Cu(II))·perchlorate, 219
X-ray evidence for lysyl lateral amine group coordination in (L-lysyl-L-tyrosine)Cu(II)·$2H_2O$ complex, 111
Crown ether complexes
Keggin-type dodecatungstocarbonate anion containing carbene as hetero atom, 185
Crystal structure(s)
of 6-amino-1,3-dimethyl-5-phenylazoniumuracil dichloroaurate(I) sesquihydrate, 103
of (1,3-(bis(*N*-methylimidazolimine)propan-2-ol)-Cu(II))·perchlorate, 219
of bis(*N*-2-pyridinylcarbonyl-2-pyridinecarboximidato)Cu(II) monohydrate, 11
of $(CO)(PEt_3)ClIr(\mu\text{-}PCy_2)_2IrCl(PEt_3)(CO)$, 83
of dithiocyanato[bis(diphenylphosphino)alkyl or aryl]Pd(II) complexes, 65
of imidazolebis(1,10-phenanthroline)Cu(II) bis(hexafluorophosphate), 149
Keggin-type dodecatungstocarbonate anion containing carbene as hetero atom, 185
of (L-lysyl-L-tyrosine)Cu(II)·$2H_2O$, 111
of Ni(II) perchlorate–chloride complex with tris(((aminoisopropyl)amino)methyl)amine, 153
novel trinuclear mixed-metal complexes containing heteronuclear ions $[M^{II}\{(OH)CrA_4(OH)\}_2(H_2O)_4]^{4+}$ and $[M^{II}\{(OH)CoA_4(OH)\}_2(H_2O)_4]^{4+}$ (A = amine ligand), 129
of $Rh(PMe_2Ph)_4^+$, 23
of $Ta_2(\mu\text{-}SEt)_2(\mu\text{-}Cl)Cl_4(SMe_2)_2$ and $NbCl_3(S_2CNEt_2)_2$, 163
Werner clathrates; secondary bonding to halogenated guest molecules, 209
of Zn(II) halide adducts of 2,2-dimethylpropane-1,3-diamine, 173
Cyanogen complexes
reactivity of macrocyclic complex $[Ni(C_{22}H_{22}N_4)]$ toward cyanogen, 59

Electrochemistry
electrical and spectroscopic properties of bis-(dmit)oxomolybdenum(2–) (dmit = 4,5-dimercapto-1,3-dithiole-2-thionate) anion complexes and oxidized analogs, 49
Electronic structure
Mössbauer and electronic absorption spectra of dicyano(*meso*(*p*-substituted)tetraphenylporphinato)Fe(III) complexes, 231
EXAFS
EXAFS study of Fe(III) complexes of sugar-type ligands, 201

Fluorescence
studies on fluorescent lanthanide complexes; new complexes of lanthanides(III) with coumarinic-3-carboxylic acid, 157

Gold complexes
chlorogold(I) and Au(III) complexes of 6-amino-1,3-dimethyl-5-arylazouracil derivatives; IR spectroscopy, growth inhibition of HeLa cells and X-ray crystal structure of 6-amino-1,3-dimethyl-5-phenylazoniumuracil dichloroaurate(I) sesquihydrate, 103

Iridium complexes
$(CO)(PEt_3)ClIr(\mu\text{-}PCy_2)_2IrCl(PEt_3)(CO)$, phosphido-bridged bimetallic Ir(II) complex, 83
Iron complexes
EXAFS study of Fe(III) complexes of sugar-type ligands, 201
Mössbauer and electronic absorption spectra of dicyano(*meso*(*p*-substituted)tetraphenylporphinato)Fe(III) complexes, 231
novel diiron complex; bimetallic system with both high- and low-spin Fe(II) centers, 93
Isocyanide complexes
nitrile and isocyanide adducts of O-bridged cationic biscyclopentadienyl Ti(IV) and Zr(IV) fragments, 55

Kinetics and mechanism
kinetic studies of Zn(II) ion incorporation into polyvalent porphyrin, tetrakis(3,5-di-tert-butyl-4-hydroxyphenyl)porphyrin in dimethylformamide, 255

Lanthanide complexes
studies on fluorescent lanthanide complexes; new complexes of lanthanides(III) with coumarinic-3-carboxylic acid, 157

Macrocyclic ligand complexes
reactivity of macrocyclic complex $[Ni(C_{22}H_{22}N_4)]$ toward cyanogen, 59
Manganese complexes
novel trinuclear mixed-metal complexes containing heteronuclear ions $[M^{II}\{(OH)CrA_4(OH)\}_2(H_2O)_4]^{4+}$ and $[M^{II}\{(OH)CoA_4(OH)\}_2(H_2O)_4]^{4+}$ (A = amine ligand), 129
Metabolism
effect of *cis*-Pt on nucleotide metabolism, 121
Metal complexes
of alkylating agents, melphalan and chlorambucil, 143
N,N'-bispyridylethylenediamine-*N,N'*-diacetic acid (PLED) and *N,N'*-bis(2-hydroxy-5-sulfobenzyl-ethylenediamine-*N,N'*-diacetic acid (SHBED), 29
metal carbonyl complexes involving 2,6-bis[1-(phenylimino)ethyl]pyridine; bidentate coordination of potentially tridentate ligand, 19
trityl thionitrite; potential transfer nitrosating agent for metal nitrosylation, 197
Metalloprotein complexes
synthesis, crystal structure and properties of (1,3-(bis(*N*-methylimidazolimine)propan-2-ol)-Cu(II))·perchlorate, 219
Molybdenum complexes
electrical and spectroscopic properties of bis-(dmit)oxomolybdenum(2−) (dmit = 4,5-dimercapto-1,3-dithiole-2-thionate) anion complexes and oxidized analogs, 49

Nickel complexes
benzophenone sensitized photochemistry of Cu(II) and Ni(II) complexes with 4-acylpyrazolones, 133
reactivity of macrocyclic complex $[Ni(C_{22}H_{22}N_4)]$ toward cyanogen, 59
template synthesis and molecular structure of Ni(II) perchlorate–chloride complex with tris(((aminoisopropyl)amino)methyl)amine, 153
Werner clathrates; secondary bonding to halogenated guest molecules, 209
Niobium complexes
reactivity of $M_2(\mu\text{-}Cl)_2(\mu\text{-}SMe_2)Cl_4(SMe_2)_2$; formation of $Ta_2(\mu\text{-}SEt)_2(\mu\text{-}Cl)Cl_4(SMe_2)_2$ and $NbCl_3(S_2CNEt_2)_2$, 163
Nitrate complexes
X-ray photoelectron spectroscopy studies of some Co(II) nitrate complexes, 191
Nitrile complexes
nitrile and isocyanide adducts of O-bridged cationic biscyclopentadienyl Ti(IV) and Zr(IV) fragments, 55
Nitrogen ligand compounds
isolation of 1,1-dialkoxysilylene-1,1-bis(2-phenylhydrazine); 1-alkoxysilylyne-1,1,1-tris(2-phenylhydrazine) and 1,1,1,1-tetrakis(2-phenylhydrazine) silane as adducts through Lewis acid aided disproportionation reactions, 87
Nitrosyl complexes
trityl thionitrite; potential transfer nitrosating agent for metal nitrosylation, 197
NMR spectroscopy
^{119}Sn and ^{13}C NMR spectra of some tetra- and triaryltin compounds, 41
Nucleoside complexes
competition for various *cis*-Pt(II) diamines for N1 and N7 sites of adenosine and 9-(β-D-ribofuranosyl)purine, 115
Nucleotide complexes
effect of *cis*-Pt on nucleotide metabolism, 121

Organosilicon compounds
isolation of 1,1-dialkoxysilylene-1,1-bis(2-phenylhydrazine); 1-alkoxysilylyne-1,1,1-tris(2-phenylhydrazine) and 1,1,1,1-tetrakis(2-phenyl-

hydrazine) silane as adducts through Lewis acid aided disproportionation reactions, 87
Oxidation
charging of redox catalyst for O_2 evolution, 7
Oxo complexes
electrical and spectroscopic properties of bis(dmit)oxomolybdenum(2−) (dmit = 4,5-dimercapto-1,3-dithiole-2-thionate) anion complexes and oxidized analogs, 49

Palladium complexes
conjunctive response to steric hindrance in dithiocyanato[bis(diphenylphosphino)alkyl or aryl]-Pd(II) complexes; new look at classic series, 65
dihalobis(2,4-dimethyl-6-hydroxypyrimidine)-Pt(II) and Pd(II) complexes; NMR study, 99
sterically congested ligands; synthesis and spectral characterization of first Pd(II) and Pt(II) complexes of tetra-t-butyl-substituted biaryloxybis(1,3,2-oxazaphospholidines), 3
Phosphate ester complexes
intramolecular hydrophobic and stacking interactions in mixed ligand complexes containing Cu(II), 2,2′-bipyridyl or 1,10-phenanthroline, and simple phosphate monoester, D-ribose 5′-monophosphate or nucleoside 5′-monophosphate (CMP, UMP, TMP, TuMP) with noncoordinating base residue, 243
Phosphine complexes
^{19}F and ^{99}Tc NMR spectrum of ax-$Tc_2(CO)_9(PF_3)$, 137
nonplanar Rh(I) in $Rh(PMe_2Ph)_4^+$; magnitude and origin of distortion, 23
Photochemistry
benzophenone sensitized photochemistry of Cu(II) and Ni(II) complexes with 4-acylpyrazolones, 133
Photoelectron spectroscopy
X-ray photoelectron spectroscopy studies of some Co(II) nitrate complexes, 191
Platinum complexes
competition of various *cis*-Pt(II) diamines for N1 and N7 sites of adenosine and 9-(β-D-ribofuranosyl)purine, 115
dihalobis(2,4-dimethyl-6-hydroxypyrimidine)-Pt(II) and Pd(II) complexes; NMR study, 99
effect of *cis*-Pt on nucleotide metabolism, 121
green−blue Pt−urea complexes, 237
sterically congested ligands; synthesis and spectral characterization of first Pd(II) and Pt(II) complexes of tetra-t-butyl-substituted biaryloxybis(1,3,2-oxazaphospholidines), 3
Polydentate ligand complexes
N,N′-bispyridoxylethylenediamine-*N,N′*-diacetic acid (PLED) and *N,N′*-bis(2-hydroxy-5-sulfobenzylethylenediamine-*N,N′*-diacetic acid (SHBED), 29

Bi(III) thiocyanate adducts with tridentate N donors, 141
crystal structure and spectroscopic studies of bis(*N*-2-pyridinylcarbonyl-2-pyridinecarboximidato)Cu(II) monohydrate; local bonding effects, 11
template synthesis and molecular structure of Ni(II) perchlorate−chloride complex with tris(((aminoisopropyl)amino)methyl)amine, 153
volume profile for aquation of $Co(en)_2Cl_2^+$, $Co(trien)Cl_2^+$ and $Co(edda)Cl_2^-$, 181
Porphyrin complexes
kinetic studies of Zn(II) ion incorporation into polyvalent porphyrin, tetrakis(3,5-di-tert-butyl-4-hydroxyphenyl)porphyrin in dimethylformamide, 225
Mössbauer and electronic absorption spectra of dicyano(*meso*(*p*-substituted)tetraphenylporphinato)Fe(III) complexes, 231

Redox reaction
charging of redox catalyst for O_2 evolution, 7
Rhodium complexes
nonplanar Rh(I) in $Rh(PMe_2Ph)_4^+$; magnitude and origin of distortion, 23
Ruthenium complexes
charging of redox catalyst for O_2 evolution, 7
correlation between geometric changes of ligands and extinction coefficient of MLCT absorption band in Ru(II)−diimine complexes, 169

Schiff base complexes
metal carbonyl complexes involving 2,6-bis[1-(phenylimino)ethyl]pyridine; bidentate coordination of potentially tridentate ligand, 19
metal complexes of alkylating agents, melphalan and chlorambucil, 143
reactivity of macrocyclic complex $[Ni(C_{22}H_{22}N_4)]$ toward cyanogen, 59
Silicon compounds
isolation of 1,1-dialkoxysilylene-1,1-bis(2-phenylhydrazine); 1-alkoxysilylyne-1,1,1-tris(2-phenylhydrazine) and 1,1,1,1-tetrakis(2-phenylhydrazine) silane as adducts through Lewis acid aided disproportionation reactions, 87
Sugar complexes
EXAFS study of Fe(III) complexes of sugar-type ligands, 201
Sulfur complexes
new Co−S cluster with triphenylphosphine; preparation and structure of $Co_6S_8(PPh_3)_6$, 1

Tantalum complexes
reactivity of $M_2(\mu\text{-}Cl)_2(\mu\text{-}SMe_2)Cl_4(SMe_2)_2$; formation of $Ta_2(\mu\text{-}SEt)_2(\mu\text{-}Cl)Cl_4(SMe_2)_2$ and $NbCl_3(S_2CNEt_2)_2$, 163

Technetium complexes
^{19}F and ^{99}Tc NMR spectrum of ax-$Tc_2(CO)_9(PF_3)$, 137
Thermodynamics
volume profile for aquation of $Co(en)_2Cl_2^+$, $Co(trien)Cl_2^+$ and $Co(edda)Cl_2^-$, 181
Thiocyanate complexes
Bi(III) thiocyanate adducts with tridentate N donors, 141
Thiocyanato complex
conjunctive response to steric hindrance in dithiocyanato[bis(diphenylphosphino)alkyl or aryl]-Pd(II) complexes; new look at classic series, 65
Tin complexes
^{119}Sn and ^{13}C NMR spectra of some tetra- and triaryltin compounds, 41
Titanium complexes
nitrile and isocyanide adducts of O-bridged cationic biscyclopentadienyl Ti(IV) and Zr(IV) fragments, 55
Trinuclear complexes
novel trinuclear mixed-metal complexes containing heteronuclear ions $[M^{II}\{(OH)CrA_4(OH)\}_2(H_2O)_4]^{4+}$ and $[M^{II}\{(OH)CoA_4(OH)\}_2(H_2O)_4]^{4+}$ (A = amine ligand), 129
Tungsten complexes
Keggin-type dodecatungstocarbonate anion containing carbene as hetero atom, 185

Urea complexes
green–blue Pt–urea complexes, 237

Zinc complexes
coordinative capabilities of substituted propane-1,3-diamine; Zn(II) halide adducts of 2,2-dimethylpropane-1,3-diamine, 173
kinetic studies of Zn(II) ion incorporation into polyvalent porphyrin, tetrakis(3,5-di-tert-butyl-4-hydroxyphenyl)porphyrin in dimethylformamide, 225
Zirconium complexes
nitrile and isocyanide adducts of O-bridged cationic biscyclopentadienyl Ti(IV) and Zr(IV) fragments, 55